## <u>Original SPEACS – Basic Communication Training Program References</u>

# **Communication problems in ICU and Assessment**

Ashworth, P., <u>Care to Communicate: An investigation into problems of communication between patients</u> and nurses in intensive therapy units. RCN Research Series. 1980, London: Whitefriars Press.

Carroll, S.M., Nonvocal ventilated patients' perceptions of being misunderstood. Western Journal of Nursing Research, 2004. 26: 85-103.

Happ, M.B., Interpretation of nonvocal behavior and the meaning of voicelessness in critical care. Social Science & Medicine, 2000. 50(9): 1247-55.

Nelson, J., et al., The symptom burden of critical illness. Critical Care Medicine, 2004. 32: 1527-1534.

Nelson, J.E., et al., Self-reported symptom experience of critically ill cancer patients receiving intensive care. Critical Care Medicine, 2001. 29(2): 277-282.

Patak, L., et al., Patients' reports of health care practitioner interventions that are related to communication during mechanical ventilation. Heart Lung, 2004. 33: 323-327.

Pennock, B.E., et al., Distressful events in the ICU as perceived by patients recovering from coronary artery bypass surgery. Heart & Lung, 1994. 23(4): 323-7.

Rotondi, A.J., et al., *Patients' recollections of stressful experiences while receiving prolonged mechanical ventilation in an intensive care unit. Critical Care Medicine, 2002. 30(4): 746-5.2* 

#### Screening protocols

Mitsuda, P.M., Baarslag-Benson, R, Hazel, K., Therriault, TM. (1992). In K.M. Yorkston (Ed.) <u>Augmentative Communication in the Medical Setting</u>. Tucson, AR: Communication Skill Builders.

Beukelman, D.R., Garrett, K.L., Yorkston, K.M., ed. <u>Augmentative Communication Strategies for Adults</u> <u>with Acute or Chronic Medical Conditions</u>. 2007, Paul H. Brookes Publishing Co.: Baltimore.

# Algorithms

Ashworth, P., <u>Care to Communicate: An investigation into problems of communication between patients and nurses in intensive therapy units.</u> RCN Research Series. 1980, London: Whitefriars Press

Borsig A, Steinacker I. Communication with the patient in the intensive care unit. Nursing Times. March 24, 1982 Supplement, 2-10.

Williams, ML. An algorithm for selecting a communication technique with intubated patients. Dimension of Critical Care Nursing. 222-233.

Mitsuda, P.M., Baarslag-Benson, R, Hazel, K., Therriault, TM. (1992). In K.M. Yorkston (Ed.) <u>Augmentative Communication in the Medical Setting</u>. Tucson, AR: Communication Skill Builders.

# **General Comprehension Support**

Beukelman DR. & Mirenda P. (2005). *Augmentative and alternative communication: Support for children and adults with complex communication needs*. Paul H. Brookes Publishing, Baltimore, MD.

## Sensory Aids

Happ MB, Tate J, Garrett K. (2006). Nursing Counts: Communicating with nonspeaking older adults in the ICU. *American Journal of Nursing*, 106, 37.

# Facing Patient and Attention Getting

Light JC & Binger C. (1998). *Building Communication Competence with Individuals who use Augmentative and Alternative Communication*. Paul H. Brookes Publishing, Baltimore, MD.

# Wait - Pause Time

Basil C. (1992). Social interaction and learned helplessness in severely disabled children. *Augmentative* and *Alternative Communication* 8, 188-199.

Light & Binger (1998). As above.

Calculator S. (1988). Promoting the acquisition and generalization of conversational skills by individuals with severe disabilities. *Augmentative and Alternative Communication*, *4*, 94-103.

Costello J. (2000). AAC intervention in the intensive care unit: the Children's Hospital of Boston model. *Augmentative and Alternative Communication, 16* 137-153.

### Clear Yes/No

Hemsley B. et al. (2001). Nursing the patient with severe communication impairment. *Journal of Advanced Nursing*, 35, 827-835.

# Confirm Messages

As above: Costello 2000; Hemsley et al 2001.

Happ MB. (2000). Interpretation of nonvocal behavior and the meaning of voicelessness in critical care. *Social Science & Medicine, 50,* 1247-1255.

# **Comprehension Support for Cognitively Impaired patients**

# Broadcaster speech

Culp D. & Carlisle M. (1988). *PACT*: *Partners in augmentative communication training*. Tucson, AZ: Communication Skills Builders,

McNeil M & Kimmelman MDZ. (1986). Toward an integrative information-processing structure of auditory comprehension and processing in adult aphasia. *Seminars in Speech and Language* 7, 123-146.

Garrett, K. L., & Beukelman, D. R. (1992). Augmentative and alternative communication approaches for individuals with severe aphasia. In K. M. Yorkston (Ed.), *Augmentative and Alternative Communication in the Medical Setting* (pp. 245-321). Communication Skill Builders: Tucson, AZ.

Sohlberg MM.& Mateer C. (2001). *Cognitive rehabilitation: An integrative neuropsychological approach*. Andover, UK: Taylor & Francis.

Light J & Binger c (1998).

<u>Augmented Input</u> (i.e., Tagged Yes/No, Key Words, Gestures, Visual Explanations)

Beukelman DR & Mirenda P. (2005). *Augmentative and Alternative Communication: Supporting Children & Adults with Complex Communication Needs*, 3<sup>rd</sup> ed. Paul H. Brookes Publishing Co., Baltimore, MD.

Connolly MA. (1995). Communicating with temporarily nonvocal patients. *Perspectives in Respiratory Nursing* 6, 7-9.

Garrett, K. L., & Beukelman, D. R. (1992) as above.

Garrett, K., & Lasker, J. (2005) Adults with severe aphasia. In D. Beukelman & P. Mirenda (Eds.) *Augmentative communication: Management of severe communication disorders in children and adults, 3rd edition* (pp. 467-504). Baltimore: Brookes Publishing Co.

Romski M. & Sevcik R. (1996). *Breaking the speech barrier: Language development through augmented means*. Paul H. Brookes Publishing Co., Baltimore, MD.

Romski MA. & Sevcik RA. (2003). Augmented input. In *Communicative Competence for Individuals who use AAC: From Research to Effective Practice*. (Light JC, Beukelman DR, & Reichle J eds). Paul H. Brookes Publishing Co., Baltimore, MD.

Wood LA, Lasker, J, Siegel-Causey E., Beukelman DR, &Ball L. (1998). Input framework for augmentative and alternative communication. *Augmentative and Alternative Communication*, *14*, 261-267.

#### **Patient Communication Strategies**

<u>Augmentative and Alternative Communication</u> definition:

http://www.asha.org/public/speech/disorders/AAC.htm

#### Gesture and Signals

Beukelman DR & Mirenda P. (2005). *Augmentative and Alternative Communication: Supporting Children & Adults with Complex Communication Needs*, 3<sup>rd</sup> ed. Paul H. Brookes Publishing Co., Baltimore, MD.

Connolly MA. (1995). Communicating with temporarily nonvocal patients. *Perspectives in Respiratory Nursing* 6, 7-9.

Connolly MA. (1992). Temporarily nonvocal trauma patients and their gestures: A descriptive study. Unpublished doctoral dissertation. (UMI# 9224758). Rush University, Chicago.

## Mouthing words and First Letter spelling

Beukelman DR & Yorkston K. (1977). A communication system for the severely dysarthric speaker with intact language system. *Journal of Speech & Hearing Disorders*. *42*, 265-270.

Yorkston K, Miller, R, Strand E.(2004). *Management of speech and swallowing in degenerative diseases.* (2<sup>nd</sup> ed.) Austin, TX: PRO-ED.

## Writing & Spelling

Beukelman DR. & Miranda P. (2005). *Augmentative and Alternative Communication: Supporting Children & Adults with Complex Communication Needs*, 3<sup>rd</sup> ed. Paul H. Brookes Publishing Co., Baltimore, MD.

Costello J. (2000). AAC intervention in the intensive care unit: the Children's Hospital of Boston model. *Augmentative and Alternative Communication, 16:* 137-153.

Dowden P, Beukelman D. & Lossing C. (1986). Serving nonspeaking patients in acute care settings: Intervention outcomes. *Augmentative and Alternative Communication*, *2*: 38-44.

Dowden P, Honsinger M, & Beukelman D. (1986). Serving nonspeaking patients in acute care settings: An intervention approach. *Augmentative and Alternative Communication*, *2*: 25-32.

Fried-Oken M., Howard JM. & Stewart SR. (1991). Feedback on AAC intervention from adults who are temporarily unable to speak. *Augmentative and Alternative Communication*, 7: 43-50.

### Written Choice Technique

Garrett, K. L., & Beukelman, D. R. (1992). Augmentative and alternative communication approaches for individuals with severe aphasia. In K. M. Yorkston (Ed.), *Augmentative and Alternative Communication in the Medical Setting* (pp. 245-321). Communication Skill Builders: Tucson, AZ.

Garrett, K., & Beukelman, D. (1995) Changes in the interaction patterns of an individual with severe aphasia given three types of partner support. *Clinical Aphasiology*, *23*, 203-234.

Garrett, K. L. & Huth, C. (2002). The impact of graphic contextual information and instruction on the conversational behaviours of a person with severe aphasia. Aphasiology, 16(4-6), 523 – 536.

Garrett, K., & Lasker, J. (2005) Adults with severe aphasia. In D. Beukelman & P. Mirenda (Eds.) Augmentative communication: Management of severe communication disorders in children and adults, 3rd edition (pp. 467-504). Baltimore: Brookes Publishing Co.

# **Communication Boards**

Patak, L, Gawlinski, A,, Fung, N.I,, Doering, L,., & Berg, J. (2004). Patients' reports of health care practitioner interventions that are related to communication during mechanical ventilation. Heart & Lung. 33, 308-320

Stovsky, B., Rudy, E., & Dragonette, P. (1988). Comparison of two types of communication methods used after cardiac surgery with patients with endotracheal tubes. Heart & Lung. 17, 281-293.